



(12) **EUROPEAN PATENT APPLICATION**

(43) Date of publication:
25.06.2003 Bulletin 2003/26

(51) Int Cl.7: **A23G 9/02**

(21) Application number: **02258414.8**

(22) Date of filing: **05.12.2002**

(84) Designated Contracting States:
AT BE BG CH CY CZ DE DK EE ES FI FR GB GR
IE IT LI LU MC NL PT SE SI SK TR
Designated Extension States:
AL LT LV MK RO

(30) Priority: **21.12.2001 EP 01310838**

(71) Applicants:
• **UNILEVER PLC**
London EC4P 4BQ (GB)
Designated Contracting States:
CY GB IE
• **UNILEVER N.V.**
3013 AL Rotterdam (NL)
Designated Contracting States:
AT BE BG CH LI CZ DE DK EE ES FI FR GR IT LU
MC NL PT SE SI SK TR

(72) Inventors:
• **Malone, Mark Emmett**
Sharnbook, Bedford MK44 1LQ (GB)
• **Underdown, Jeffrey**
Sharnbook, Bedford MK44 1LQ (GB)
• **Wix, Loyd**
Sharnbook, Bedford MK44 1LQ (GB)

(74) Representative: **Hugot, Alain et al**
Unilever plc,
Patent Division,
Colworth House
Sharnbrook, Bedford MK44 1LQ (GB)

(54) **Frozen aerated confection**

(57) Frozen aerated confection having an overrun of above 80% and below 250%, and containing less than 0.5% w/w glycerol, freezing point depressants in an amount of between 25 % and 37 % w/w, and between

2 and 12% fat, wherein the freezing point depressants have a number average molecular weight $\langle M \rangle_n$ of less than 300 have a soft structure when eaten at -18°C.

Description**Field of the invention**

- 5 [0001] The present invention relates to a frozen aerated confection which is soft at -18°C and which contains less than 0.5 % (w/w) glycerol.

Background of the invention

- 10 [0002] Trying to produce soft ice creams at -18°C has been the subject of many attempts which are all linked to the use of freezing point depressant compounds which make the product 'softer' by reducing the ice content of the product. GB 2019187 describes various 'soft' ice creams containing sugars and sugar alcohols having a molecular weight of less than 600. More particularly it describes a frozen aerated product, with an overrun of at least 140%, containing glycerol in an amount of 1 to 5%, sorbitol, fructose and invert sugar. GB 2019187 also indicates that as long as those
- 15 low molecular weight sugars are present in the required quantities, the presence of higher molecular weight sugars has no impact on the 'softness' of the end product.

- [0003] In general, these soft compositions present major drawbacks. First of all, owing to the sugars which are used, these products are extremely sweet and require the use of additives to suppress sweetness and/or, the use of very high overrun, and/or the use of significant amounts of glycerol which does not significantly contribute to the sweet taste but which generates a very noticeable off taste which consumers do not like.
- 20 [0004] Secondly, in order to try and quantify the softness of the ice cream, GB2019187 uses an Instron test, but it is submitted that this test does not really reproduce the mechanisms which take place in the mouth of a consumer having such an ice cream. It is particularly presented that compositions according to GB2019187 containing high molecular weight sugars are not satisfactory in terms of softness, nevertheless, when tested on Instron according to GB

- 25 2019187 they are fully within the teaching of GB 2019187. Therefore, GB 2019187 does not appear to fully resolve the single problem of producing a soft ice cream at typical freezer temperatures eg -18°C or below.
- [0005] Therefore, the past attempts to produce ice creams to be consumed at typical freezer temperatures eg -18°C and having a normal overrun while not containing noticeable amounts of glycerol and not exhibiting a sweet taste while having organoleptic characteristics similar to soft ice creams which are typically consumed at temperatures of -8°C or
- 30 warmer have not been successful.

- [0006] There is thus a need for frozen aerated confections which will satisfy these criteria.

- [0007] It has now be found that at a given ice content, it is possible to make the product softer by carefully selecting the sugars and particularly by avoiding high molecular weight sugars even in small quantities. It has also been found that, by carefully selecting the sugars, it is possible to make a remarkably soft product without having to use glycerol
- 35 and without having to use additives to suppress sweetness. It has also been found that, with these new formulations, high overruns, in order to mask the sweetness, are no longer necessary.

Tests and definitions

- 40 **Average molecular weight**

- [0008] For the purposes of this patent, the average molecular weight for a mixture of freezing point depressants (fdps) is defined by the number average molecular weight $\langle M \rangle_n$ shown in the equation below. Where w_i is the mass of species i , M_i is the molar mass of species i and N_i is the number of moles of species i of molar mass M_i .
- 45

$$\langle M \rangle_n = \frac{\sum w_i}{\sum (w_i / M_i)} = \frac{\sum N_i M_i}{\sum N_i}$$

50

Freezing point depressants

55

- [0009] Freezing point depressants (fpds) as defined in this invention consist of:

- monosaccharides and disaccharides

- Oligosaccharides containing from 3 to ten monosaccharide units joined in glycosidic linkage.
- Corn syrups with a dextrose equivalent (DE) of greater than 20 preferably > 40 and more preferably > 60. Corn syrups are complex multi-component sugar mixtures and the dextrose equivalent is a common industrial means of classification. Since they are complex mixtures their number average molecular weight $\langle M \rangle_n$ can be calculated from the equation below. (Journal of Food Engineering, 33 (1997) 221-226)

$$DE = \frac{18016}{\langle M \rangle_n}$$

- erythritol arabitol, xylitol, sorbitol, mannitol, lactitol and maltitol.

Definition of overrun.

[0010] Overrun is defined by the following equation

$$OR = \frac{\text{volume..of..ice..cream} - \text{volume..of..premix..at..ambient..temp}}{\text{volume..of..premix..at..ambient..temp}} \times 100$$

Brief description of the invention

[0011] It is the object of the present invention to provide a frozen aerated confection having an overrun of above 80% and below 250%; preferably above 100%, containing;

- less than 0.5% w/w glycerol
- freezing point depressants in an amount above 25 % w/w and under 37 % w/w, preferably above 26% w/w, more preferably above 27% w/w, and
- between 0 and 15% w/w fat

wherein the freezing point depressants have a number average molecular weight $\langle M \rangle_n$ of less than 300.

[0012] Preferably, the frozen aerated confection according to the invention contains at least 2% w/w fat.

[0013] Preferably the frozen aerated confection according to the invention contains less than 12% w/w fat, more preferably between 4 and 10% w/w.

[0014] Preferably the freezing point depressants have a number average molecular weight $\langle M \rangle_n$ below 275 and even more preferably below 250. Even more preferably, the freezing point depressants have a number average molecular weight $\langle M \rangle_n$ below 230.

[0015] The freezing point depressants are constituted at a level of at least 98% (w/w) of mono, di and oligosaccharides. More preferably, since fructose delivers a very sweet taste, the frozen aerated confection contains less than 5% w/w fructose, even more preferably less than 2.5% w/w fructose.

[0016] Preferably also the frozen aerated confection according to the invention contains less than 0.25% glycerol, even more preferably less than 0.1%. Preferably also, the frozen aerated confection according to the invention contains less than 10% w/w sorbitol, more preferably less than 5% w/w sorbitol.

[0017] Preferably also, the frozen aerated confection according to the invention contains more than 2% and less than 8% w/w proteins, preferably less than 6% w/w since it has been found that too high a protein content leads to a chalky, cheesy texture which should be avoided.

[0018] In a preferred embodiment of the invention the frozen aerated product has an overrun of less than 150%, more preferably less than 140%.

[0019] In another preferred embodiment of the invention the frozen aerated product has an overrun of more than 150%, more preferably more than 170%.

Detailed description of the invention

[0020] The present invention will be further described in the following examples wherein, unless indicated otherwise, the percentages are in weight by weight (w/w).

[0021] It should be noted that in the examples below the SMP (skimmed milk powder) is comprised of 50% (w/w) lactose and this needs to be taken into account when calculating the total amount of freezing point depressants and the number average molecular weight $\langle M \rangle_n$. Similarly, ingredients such as cocoa powder, whey concentrate, chocolate, fruit puree or juice, malt extracts also contain freezing point depressants that contribute to $\langle M \rangle_n$.

EP 1 321 043 A1

[0022] Various ice creams were formulated and produced as follows and according to the following processing conditions:

[0023] Mixing - all ingredients are combined in an agitated heated mix tank. Once all ingredients have been blended together, the mixture is subjected to high shear mixing at a temperature of at least 65°C for 2 minutes in order to hydrate the stabilisers. Excessive temperature should however be avoided to prevent damage to heat labile components and the formation of cooked off flavours.

[0024] Homogenisation - the mix is then subjected to a homogenisation stage to reduce the bulk of the fat droplets to below 1µm. This is accomplished by homogenising the mixture using a valve homogeniser operating at a pressure of 150bar at a typical temperature of 70°C.

[0025] Pasteurisation - to conform to public health requirements the mix is subjected to pasteurisation treatment. The mix is heated to a temperature of 83°C and held for 20 seconds to achieve satisfactory treatment. The pasteurised mix is then rapidly cooled to chill temperatures, typically 4°C.

[0026] Ageing - The mix is held at chill temperature, typically 4°C.

[0027] The formulations of examples 7 to 12 were frozen using typical ice cream continuous freezers known at votators or scraped surface heat exchangers. These devices serve to freeze the mix and incorporate sufficient air to deliver the desired overrun. Although such devices usually deliver frozen ice cream at temperatures of -5°C to -7°C, the high levels of freezing point depressors in the formulations within this invention meant that the ice creams are typically frozen down to temperatures of -10 to -13°C.

[0028] Following freezing in a votator the ice cream is subjected to hardening process that reduces the temperature of the ice cream close to the final storage temperature.

[0029] Formulations of examples 1 to 6 were transferred from the votator to a cold extrusion device such as a single screw extruder where the ice cream can be further cooled under shear. Due to high levels of freezing point depressors the ice cream formulations disclosed in this invention will leave the cold extrusion device at temperatures of -20°C or lower.

Example	1	2	3	4	5	6
	% (w/w)	% (w/w)	% (w/w)	% (w/w)	% (w/w)	% (w/w)
SMP (Skimmed Milk Powder)	10	10	10	10	10	10
Butterfat	10	10	5	5	10	5
MGP (mono glyceryl palmitate)	0.3	0.3	0.3	0.3	0.3	0.3
LBG (locust bean gum)	0.2	0.2	0.2	0.2	0.2	0.2
Dextrose	15.2	15.2	17.3	15.3	21.7	17.3
Sucrose	7.6		8.65	7.65		
Corn syrup DE=63 83%solids		9.7			5	11
Water	56.6859	54.5859	58.5359	61.5359	52.7859	56.1859
Flavour	0.0141	0.0141	0.0141	0.0141	0.0141	0.0141
Average molecular weight	229	219	227	229	206	220
Overrun	135%	135%	135%	135%	135%	135%

Example	7	8	9	10
	%(w/w)	%(w/w)	%(w/w)	%(w/w)
Butter fat	4	4	4	10
SMP	8	8	8	10
MGP	0.15	0.15	0.15	0.3
Iota Carrageenan	0.2	0.2	0.2	
Vanilla				0.0141

EP 1 321 043 A1

(continued)

Example	7	8	9	10
	%(w/w)	%(w/w)	%(w/w)	%(w/w)
Vanillin	0.01	0.01	0.01	0.01
Sucrose	6.5	8.125	5.0	17.8
Lactose	3.5	4.375		
Dextrose	15.4	19.715	19.375	8.9
Water	62.04	55.22	63.065	52.79
LBG	0.2	0.2	0.2	0.2
Average Molecular weight	233	230	212	273
Overrun	100%	100%	135%	135%

Example	11
	%(w/w)
Coconut oil	7.0
Chocolate	2.0
SMP	3.74
Cocoa powder	7.0
Whey Conc. powder	3.84
Lactose	4.4
Dextrose	23.0
Sucrose	3.0
LBG	0.3
MGP	0.2
Colour	0.4
Water	45.12
Average Molecular weight	216
Overrun	200%

Example	12	13	14
	%(w/w)	%(w/w)	%(w/w)
Butter fat	4	4	4
SMP	8	8	8
MGP	0.15	0.15	0.15
Iota Carrageenan	0.2	0.2	0.2
Vanillin	0.01	0.01	0.01
Sucrose	15.5	11.5	19.27

(continued)

Example	12	13	14
	%(w/w)	%(w/w)	%(w/w)
Corn Syrup DE40	14	10.35	17.4
Water	57.94	65.6	50.77
LBG	0.2	0.2	0.2
Average Molecular weight	380	379	381
Overrun	100%	100%	100%

[0030] Examples 1-11 were considered to be soft and comparable to artisanal soft serve ice creams whereas comparative examples 12-14 were perceived to be much firmer.

Claims

1. Frozen aerated confection having an overrun of above 80% and below 250%, containing;

- less than 0.5% w/w glycerol
- freezing point depressants in an amount above 25 % w/w and below 37 % w/w, and
- between 0 and 15% fat,

wherein the freezing point depressants have a number average molecular weight $\langle M \rangle_n$ of less than 300.

2. Frozen aerated confection according to claim 1 containing between 2% and 12% fat.

3. Frozen aerated confection according to claim 1 or 2 wherein the freezing point depressants have a number average molecular weight $\langle M \rangle_n$ below 275.

4. Frozen aerated confection according to claim 3 wherein the freezing point depressants are constituted at a level of at least 98% (w/w) of mono, di and oligosaccharides .

5. Frozen aerated confection according to claim 4 containing less than 5 % w/w fructose.

6. Frozen aerated confection according to claim 1 containing less than 0.25% (w/w) glycerol, preferably less than 0.1% (w/w).

7. Frozen aerated confection according to claims 1 to 6 containing more than 2% and less than 8% proteins.

8. Frozen aerated product according to claims 1 to 6 having an overrun of less than 150%, preferably less than 140%.

9. Frozen aerated product according to claims 1 to 6 having an overrun of more than 150%, preferably more than 170%.



European Patent
Office

EUROPEAN SEARCH REPORT

Application Number
EP 02 25 8414

DOCUMENTS CONSIDERED TO BE RELEVANT			
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int.CI.7)
X	US 4 244 977 A (KAHN MARVIN L ET AL) 13 January 1981 (1981-01-13) * column 9, line 27,28 * * column 12, line 61-68; example * ---	1-9	A23G9/02
D,X	GB 2 019 187 A (UNILEVER LTD) 31 October 1979 (1979-10-31) * page 1, line 34-36; example 5 * * abstract * ---	1-9	
X	EP 0 941 668 A (NIKKEN CHEMICALS CO LTD) 15 September 1999 (1999-09-15) * paragraphs '0035!-'0043!', '0091!', '0130!; claims * * page 8 * ---	1-9	
X	US 4 346 120 A (MORLEY ROBERT G ET AL) 24 August 1982 (1982-08-24) * column 7, line 43-45; example 1 * ---	1-9	
X	US 4 376 791 A (HOLBROOK JAMES L ET AL) 15 March 1983 (1983-03-15) * column 3, line 53-62; claims; examples * ---	1-9	TECHNICAL FIELDS SEARCHED (Int.CI.7)
A	GB 1 519 294 A (UNILEVER LTD) 26 July 1978 (1978-07-26) * example 1 * ---	1-9	A23G
A	FR 2 745 153 A (RIVEIRE SILVENTE ET ASSOCIES R) 29 August 1997 (1997-08-29) * the whole document * ---	1-9	
A	US 4 145 454 A (DEA IAIN C M ET AL) 20 March 1979 (1979-03-20) -----		
The present search report has been drawn up for all claims			
Place of search THE HAGUE		Date of completion of the search 1 April 2003	Examiner Boddaert, P
CATEGORY OF CITED DOCUMENTS X : particularly relevant if taken alone Y : particularly relevant if combined with another document of the same category A : technological background O : non-written disclosure P : intermediate document		T : theory or principle underlying the invention E : earlier patent document, but published on, or after the filing date D : document cited in the application L : document cited for other reasons & : member of the same patent family, corresponding document	

EPO FORM 1503 03/02 (P04C01)

**ANNEX TO THE EUROPEAN SEARCH REPORT
ON EUROPEAN PATENT APPLICATION NO.**

EP 02 25 8414

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report.
The members are as contained in the European Patent Office EDP file on
The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

01-04-2003

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
US 4244977 A	13-01-1981	US 4146652 A	27-03-1979
		US 4154863 A	15-05-1979
		US 4199604 A	22-04-1980
		AU 3281278 A	02-08-1979
		BE 863403 A1	27-07-1978
		CA 1107120 A1	18-08-1981
		DE 2803634 A1	03-08-1978
		DE 2857879 C2	08-01-1987
		DE 2858023 C2	08-09-1988
		DE 2858058 C2	24-01-1985
		DE 2858206 C2	21-04-1988
		DE 2858207 C2	08-10-1987
		DK 40078 A ,B,	29-07-1978
		DK 504084 A ,B,	22-10-1984
		ES 466336 A1	01-04-1979
		ES 475156 A1	01-06-1979
		FI 780232 A ,B,	29-07-1978
		FI 831168 A ,B,	06-04-1983
		FR 2378456 A1	25-08-1978
		GB 1548358 A	11-07-1979
		IL 53713 A	31-07-1981
		IT 1092000 B	06-07-1985
		JP 1187324 C	20-01-1984
		JP 53104767 A	12-09-1978
		JP 58020250 B	22-04-1983
		JP 1213082 C	27-06-1984
		JP 58047143 B	20-10-1983
		JP 58047450 A	19-03-1983
		MX 6157 E	29-11-1984
		NL 7801039 A ,B,	01-08-1978
		NL 8303364 A ,B,	01-02-1984
		NL 8303365 A	01-02-1984
		NL 8303366 A ,B,	01-02-1984
		NL 8303367 A ,B,	01-02-1984
		NL 8303368 A ,B,	01-02-1984
		NZ 186140 A	17-08-1982
		NZ 197393 A	17-08-1982
		SE 439577 B	24-06-1985
		SE 7800962 A	29-07-1978
		US 4244976 A	13-01-1981
		US 4308287 A	29-12-1981
		US 4234611 A	18-11-1980
		US 4237146 A	02-12-1980
		US 4350711 A	21-09-1982
		US 4199605 A	22-04-1980

EPO FORM 204/88

For more details about this annex : see Official Journal of the European Patent Office, No. 12/82

**ANNEX TO THE EUROPEAN SEARCH REPORT
ON EUROPEAN PATENT APPLICATION NO.**

EP 02 25 8414

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report. The members are as contained in the European Patent Office EDP file on
The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

01-04-2003

Patent document cited in search report		Publication date		Patent family member(s)	Publication date
GB 2019187	A	31-10-1979	AT	375817 B	10-09-1984
			AT	306879 A	15-02-1984
			AU	532829 B2	13-10-1983
			AU	4640979 A	01-11-1979
			BE	875826 A1	24-10-1979
			CA	1117355 A1	02-02-1982
			CH	652567 A5	29-11-1985
			DE	2916395 A1	31-10-1979
			DK	166879 A	25-10-1979
			ES	479892 A1	16-08-1980
			FR	2423986 A1	23-11-1979
			IE	48114 B1	03-10-1984
			IT	1118967 B	03-03-1986
			LU	81186 A1	07-11-1979
			NL	7903236 A	26-10-1979
			PT	69543 A	01-05-1979
			SE	7903559 A	25-10-1979
			US	4219581 A	26-08-1980
			ZA	7901935 A	26-11-1980
EP 0941668	A	15-09-1999	JP	10117763 A	12-05-1998
			JP	3371063 B2	27-01-2003
			JP	10117693 A	12-05-1998
			JP	3371064 B2	27-01-2003
			JP	10117694 A	12-05-1998
			EP	0941668 A1	15-09-1999
US 4346120	A	24-08-1982	WO	9816120 A1	23-04-1998
			US	4400405 A	23-08-1983
			US	4400406 A	23-08-1983
US 4376791	A	24-08-1982	US	4427701 A	24-01-1984
			US	4427701 A	24-01-1984
US 4376791	A	15-03-1983	CA	1174894 A1	25-09-1984
GB 1519294	A	26-07-1978	NONE		
FR 2745153	A	29-08-1997	FR	2745153 A1	29-08-1997
			AT	200609 T	15-05-2001
			AU	1928897 A	10-09-1997
			CA	2247097 A1	28-08-1997
			CN	1211900 A ,B	24-03-1999
			DE	69704610 D1	23-05-2001
			DE	69704610 T2	06-12-2001
			DK	878998 T3	13-08-2001
			EP	0878998 A1	25-11-1998
			ES	2159112 T3	16-09-2001

EPO FORM P469

For more details about this annex : see Official Journal of the European Patent Office, No. 12/82

**ANNEX TO THE EUROPEAN SEARCH REPORT
ON EUROPEAN PATENT APPLICATION NO.**

EP 02 25 8414

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report. The members are as contained in the European Patent Office EDP file on
The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

01-04-2003

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
FR 2745153	A		WO 9730600 A1	28-08-1997
			GR 3036236 T3	31-10-2001
			JP 2000506004 T	23-05-2000
			NO 983895 A	23-10-1998
			PT 878998 T	30-10-2001
US 4145454	A	20-03-1979	GB 1599272 A	30-09-1981
			AT 375530 B	10-08-1984
			AT 710077 A	15-01-1984
			AU 2935177 A	12-04-1979
			CA 1109319 A1	22-09-1981
			CH 633943 A5	14-01-1983
			DE 2744614 A1	13-04-1978
			DK 441377 A	07-04-1978
			ES 462944 A1	16-12-1978
			FR 2366799 A1	05-05-1978
			IE 46049 B1	09-02-1983
			IT 1091182 B	26-06-1985
			LU 78266 A1	09-06-1978
			NL 7710960 A	10-04-1978
			PT 67121 A ,B	01-11-1977
			SE 426774 B	14-02-1983
			SE 7711172 A	07-04-1978
			SE 426782 B	14-02-1983
			SE 426775 B	14-02-1983
			SE 426781 B	14-02-1983
			SE 426784 B	14-02-1983
			SE 426779 B	14-02-1983
			SE 426783 B	14-02-1983
			SE 426778 B	14-02-1983
			SE 426776 B	14-02-1983
			SE 8104686 A	06-02-1983
			SE 426777 B	14-02-1983
			BE 859322 A1	03-04-1978

EPO FORM P0459

For more details about this annex : see Official Journal of the European Patent Office, No. 12/82